



P555680

LUBE FILTER, SPIN-ON FULL FLOW

Why Choose Donaldson Lube Filters?

Donaldson lube filters are designed to keep today's engine lube systems functioning at peak performance.

- Keep oil clean by capturing contaminants that cause engine damage.
- Include heavy duty components that are built to perform, built to last.
- Deliver essential engine protection for maximum cold flow performance.

Attributes

Outer Diameter	93 mm (3.66 inch)
Thread Size	1-12 UN
Length	136 mm (5.35 inch)
Gasket OD	71 mm (2.80 inch)
Gasket ID	61 mm (2.40 inch)
Efficiency 99%	40 micron
Efficiency Test Std	ISO 4548-12
Bypass Valve	Yes
Bypass Valve Setting LR	1.2 bar (17 psi)

Bypass Valve Setting HR	1.6 bar (23 psi)
-------------------------	------------------

Media Type	Cellulose
------------	-----------

Collapse Burst	6.9 bar (100 psi)
----------------	-------------------

Type	Full-Flow
------	-----------

Style	Spin-On
-------	---------

Primary Application	CATERPILLAR 9N5680
---------------------	--------------------

Packaged Dimensions

Packaged Length	3.7 IN
-----------------	--------

Packaged Width	3.7 IN
----------------	--------

Packaged Height	5.2IN
-----------------	-------

Packaged Weight	1.06 LB
-----------------	---------

Packaged Volume	0.042772 FT3
-----------------	--------------

Other Information

Country of Origin	Mexico
-------------------	--------

NMFC Code	069100-09
-----------	-----------

HTS Code	8421230090
----------	------------

UPC Code	742330045077
----------	--------------

EU Preferential Origin	No
------------------------	----

The information contained herein is general in nature and may not reflect actual information regarding the part at time of shipment. Parts may originate in more than one country – the actual country of origin and HS Code will be reflected on the Commercial Invoice(s) that

accompanies the goods.